

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T001	OCT/30/2012 #7	AISI/SAE 52100 GRADE 1 (MOD) LADLE REFINED ASTM A485	70, 172, 173
T002	OCT/31/2012 #10	AISI/SAE 52100 GRADE 2 (MOD) LADLE REFINED ASTM A485	007, 45, 70, 172 173
T003		OBSOLETE AISI 1095 STEEL	39, 48, 66
T004		OBSOLETE 5160 CBQ	24, 42
T005		OBSOLETE HIGH TEMP NITRILE (ASTM D2000)	000
T006	OCT/31/2012 #5	AISI/SAE 9310 H, AMS 6260, ASTM A534 UNS G93106	32
T007		OBSOLETE CARBON TOOL STEEL	
T008		OBSOLETE 18CR-2NI-12MN AUST. STAINLESS STEEL (UNSS 24100)	103
T009	OCT/31/2012 #5	HSLA STEEL SAE J410C-945X OR SAE J1392-045Y	104
T010		OBSOLETE AISI 10L50 STEEL	000, 131
T011	NOV/02/2012 #6	AISI 1141 MODIFIED	
T012	NOV/02/2012 #3	AISI 416 TO ASTM A581 (UNS S41600)	46
T013		OBSOLETE AISI 8615 MODIFIED STEEL	
T014		OBSOLETE AISI 1055 MODIFIED (UNS G10550)	
T015	NOV/05/2012 #3	70-30 BRASS TO ASTM B36 (UNS C26000)	118, 119, 121, 139, 156
T016		OBSOLETE COPPER BERYLLIUM ALLOY TO ASTM B194 (UNS C17200)	
T017		OBSOLETE ALUMINUM ALLOY 1100 TO ASTM	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
		B209 (UNS A91100)	
T018		OBSOLETE AISI/SAE 9310 ASTM A535-79 SPECIAL QUALITY	
T019		OBSOLETE AISI/SAE 52100 GRADE 2 (MOD) ASTM A 535-79 SPECIAL QUALITY	
T020	NOV/05/2012 #14	AISI 1012 MOD STEEL	4, 23, 55, 72, 87, 216, 225, 300, 301, 414,415
T021	NOV/05/2012 #4	ALUMINUM ALLOY 6061 (UNS A96061)	
T022	NOV/05/2012 #3	AISI 1050 (UNS G10500)	51, 130, 268
T023	NOV/05/2012 #3	FREE CUTTING BRASS TO ASTM B16 (UNS C36000)	119, 178
T024		OBSOLETE ALUMINUM ALLOY 1145 TO ASTM B373 (UNS A91145)	
T025		OBSOLETE LEADED BRASS (ASTM B121) (UNS C34200)	
T026		OBSOLETE ALUMINUM ALLOY 5052 TO ASTM B209 (UNS A95052)	
T027		OBSOLETE LEADED BRASS (ASTM B121) (UNS C35300)	
T028	APR/08/2020 #15	AISI 1074 CR MOD STEEL	5, 8, 9, 39, 107, 113, 189, 213, 214
T029	NOV/05/2012 #3	AISI 6150 (UNS G61500)	34, 114, 191
T030	NOV/05/2012 #7	SAE 1010 UNS G10100	000, 14, 15, 16, 17, 31, 40, 55, 65, 66, 72, 87, 88, 91, 92, 95, 116, 120, 130, 134, 146, 171, 201, 202, 243
T031		OBSOLETE	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
		LEADED BRASS ALLOY NO. 353 TO ASTM B121 (UNS C35600)	
T032	NOV/05/2012 #4	AISI 1117 (UNS G11170)	000, 51, 69, 91, 108, 154, 192
T033	NOV/05/2012 #3	AISI 1075 (UNS G10750)	
T034	NOV/05/2012 #4	AISI 1141 SILICON KILLED	
T035	NOV/05/2012 #5	AISI 1018 (UNS G10180)	27, 91, 276
T036		OBSOLETE AISI M-3, CLASS 1 (UNST11313)	
T037	NOV/06/2012 #11	AISI/SAE 8620 H ASTM A534 UNS G86200	000, 1, 32, 33, 34, 44, 58, 66, 69, 90,113, 270, 298, 430
T038	NOV/06/2012 #4	AMS 5648 316 STAINLESS STEEL	46, 155
T039		OBSOLETE AISI TYPE 347 STAINLESS STEEL (UNS S34700)	
T040	NOV/06/2012 #4	AISI TYPE 430F STAINLESS (UNS S43020)	155
T041		OBSOLETE AISI 1074 (UNS G10740)	
T042	NOV/06/2012 #4	AISI 1065 TO ASTM A108 (UNS G10650)	70, 91, 114, 160
T043	NOV/06/2012 #7	AISI 1070 MODIFIED	70, 83
T044	NOV/06/2012 #3	AISI TYPE 440A STAINLESS STEEL (UNS S44002)	37
T045		OBSOLETE AISI 440B STAINLESS STEEL (UNS S44003)	
T046		OBSOLETE AISI 1050 MODIFIED (UNS G10500)	
T047		OBSOLETE AISI 516OR MODIFIED STEEL	
T048		OBSOLETE AISI 8650 (UNS G86500)	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T049		OBSOLETE AISI 302, AMS 5515 (UNS S30200)	
T050		OBSOLETE AISI 4137 STEEL	
T051	NOV/06/2012 #5	AISI 1018 SILICON KILLED STEEL	000, 18, 20, 21 66, 73, 85, 90 91, 102, 152, 154 206, 256
T052		OBSOLETE TRANSFER CLIP STEEL	
T053	NOV/06/2012 #4	LOW CARBON STEEL	21
T054	NOV/06/2012 #10	AISI 1015 MOD STEEL	1, 9, 55, 180, 269, 270, 417
T055	NOV/07/2012 #6	AISI 1026 (UNS G10260)	
T056	NOV/07/2012 #10	SAE 1085 UNS G10850	6, 10, 22, 50, 66, 68, 70, 333
T057		OBSOLETE AISI 1053 (UNS G10530)	
T058	NOV/07/2012 #4	AISI 1020 SILICON KILLED STEEL (UNS G10200)	232, 30, 58
T059	AUG/19/2020 #2	OBSOLETE AISI/SAE 1045 (UNS G10450)	46, 153
T060		OBSOLETE AISI 51100 CR MODIFIED STEEL	28
T061	NOV/07/2012 #12	AISI/SAE 52100 AMS 6440, ASTM A295 UNS G52986	5, 6, 7, 28, 42 44, 45, 58, 68 70, 113, 153, 166 167, 172, 173, 215, 251, 261, 305, 346, 347, 425
T062		OBSOLETE AMS 6442 (SAE 50100)	
T063	NOV/07/2012 #3	AISI 1040	46, 268
T064	NOV/07/2012 #5	NITRILE RUBBER	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T065	JAN/30/2020 #7	POLYACRYLIC RUBBER	
T066	NOV/07/2012 #7	FLUROCARBON ELASTOMER M2HK710	
T067		OBSOLETE BUNA-N CARBOXYLATED M2BG720	
T068		OBSOLETE BUNA-N LOW TEMP. M5BG708	
T069		OBSOLETE SILICONE RUBBER	
T070		OBSOLETE AISI 1212	
T071	NOV/08/2012 #5	AISI 1213/1215 (FREE MACHINING STEEL)	000, 47, 91, 153, 154
T072		OBSOLETE AISI 1137 (UNS G11370)	
T073	NOV/09/2012 #5	AISI 4037 (UNS G40370)	59, 91, 113, 114, 151, 192, 218, 305
T074	NOV/09/2012 #4	AISI 4140H (UNS H41400)	000, 25, 32, 44, 66, 185
T075	NOV/09/2012 #9	AMS6444 PREM. QUALITY CONSUMABLE ELECTRODE VACUUM MELTED (SAE 52100)	000, 28, 58
T076	NOV/09/2012 #6	AMS 6490 PREMIUM QUALITY CONSUMABLE ELECTRODE VACUUM MELTED (M-50)	3, 42, 68, 70, 126, 193
T077	NOV/09/2012 #4	AISI TYPE 302 STAINLESS STEEL (UNS S30200)	000, 42, 47, 134, 137, 138, 140, 155, 183, 221
T078	NOV/09/2012 #5	AISI TYPE 303 STAINLESS STEEL (UNS S30300)	000, 155, 162
T079	NOV/09/2012 #4	AISI TYPE 305 STAINLESS STEEL (UNS S30500)	000, 30, 140, 155
T080	NOV/09/2012 #4	AISI TYPE 410 STAINLESS STEEL (UNS S41000)	000, 37, 140, 207
T081	NOV/09/2012 #6	AISI TYPE 416 STAINLESS STEEL (UNS S41600)	000, 2, 4, 34, 46, 70
T082	NOV/09/2012 #4	AISI 420, ASTM A-276, AMS 5506, AMS 5621 UNS S42000	36, 37, 70, 162, 325

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T083	NOV/09/2012 #3	80% NICKEL-IRON-MOLYBDENUM ALLOY (CARPENTER HY MU "80" OR EQUIV.)	47
T084	NOV/09/2012 #12	AISI 440C, AMS 5630, AMS 5880 ASTM A756, UNS S-44004	37, 70, 114, 172, 194, 196
T085	NOV/09/2012 #6	MUSIC WIRE ASTM A228	000
T086		OBSOLETE LASALLE FATIGUE-PROOF STEEL	
T087		OBSOLETE SINKER STOCK STEEL	
T088	NOV/09/2012 #3	TYPE AISI S-2 TOOL STEEL	000, 86
T089	NOV/13/2012 #6	(REF: PH15-7 MO) AMS 5520	294
T090		OBSOLETE AISI 4137H (UNS H41370)	
T091		OBSOLETE (SEE T-134) PWA 765 (440C MODIFIED)	
T092		OBSOLETE PWA 771 (NUCLEAR METALS NM100)	
T093		OBSOLETE PWA 778 (440C MODIFIED)	
T094		OBSOLETE AISI 0-6 MOLYBDENUM GRAPHITIC TOOL STEEL	
T095	NOV/09/2012 #5	NYLON 6-6	60
T096		OBSOLETE TYPE 6-6 NYLON (REF. G-1/30)	
T097		OBSOLETE TYPE 6-6 NYLON (REF. G-1/30 MS/5)	
T098	NOV/09/2012 #13	30% GLASS-FIBER REINFORCED NYLON 6-6, HEAT-STABILIZED	60
T099	NOV/09/2012 #10	ACETAL COPOLYMER	
T100	NOV/16/2012 #5	85-15 BRASS TO ASTM B36	000
T101		OBSOLETE NORYL 731 (PHENVLENE OXIDE)	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
		BASE THERMOPLASTIC)	
T102		OBSOLETE YELLOW BRASS ALLOY NO. 270	
T103		OBSOLETE SAE F-50 FELT	
T104		OBSOLETE VASCO MAX C-350 OR EQUIV.	
T105	NOV/16/2012 #6	17-4PH STAINLESS STEEL AMS 5643 UNS S17400	358, 449
T106		OBSOLETE 17-4 PH STAINLESS STEEL AMS 5644 BARS-FORGINGS	
T107		OBSOLETE (REF: INCONEL 600) AMS 5665	
T108	NOV/15/2012 #3	(REF: INCONEL X-750; AISI (1688) AMS 5667	000
T109	NOV/16/2012 #3	(REF: WASPALLOY; AISI 685) AMS 5706	000
T110		OBSOLETE RENE 41 (AMS 5712) (AISI 683)	
T111	NOV/16/2012 #3	AISI 9254 (UNS G92450)	160
T112		OBSOLETE AISI 4150 STEEL	
T113	NOV/16/2012 #5	AISI/SAE 4620 ASTM A534 UNS G46200	000, 192
T114	NOV/16/2012 #5	AISI/SAE 4720 ASTM A534 UNS G47200	000
T115		OBSOLETE AISI 410 STAINLESS STEEL (BAR, TUBING ONLY) (AMS 5613)	
T116	NOV/16/2012 #4	GREEK ASCOLOY (AMS 5616)	000
T117	NOV/16/2012 #8	SAE 950 AK HSLA STEEL (SAE J410C), SAE 050 ZK HSLA STEEL (SAE J1392), (FORD ESE-M1A131-A) (AISI 50XX)	105
T118	NOV/16/2012 #4	INCONEL 718 (AMS 5596)	000

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T119	NOV/16/2012 #4	AISE/SAE 4340 AMS 6415 UNS G43400	000, 42, 44, 45
T120		OBSOLETE PWA 779 (WD 65) (440C MOD)	
T121	NOV/16/2012 #4	ACETAL HOMOPOLYMER	60
T122	NOV/16/2012 #5	AISI 303 STAINLESS STEEL AMS 5640 TYPE 1	000
T123	NOV/16/2012 #7	AISI TYPE 410 STAINLESS STEEL AMS 5504, AMS 5613 UNS S4100	140
T124		OBSOLETE SAE D5506 DUCTILE IRON	
T125	NOV/16/2012 #3	AISI 1060 (UNS G10600)	28, 48
T126	NOV/17/2012 #8	AISI 1035 STEEL (UNS G10350)	20, 22, 44, 253
T127		OBSOLETE AISI 1025 (UNS G10250)	
T128		OBSOLETE OIL TEMPERED SPRING WIRE (ASTM A289)	
T129	NOV/16/2012 #7	AISI 1010 ALUMINUM KILLED (UNS G10100)	116, 130, 137, 148, 287
T130		OBSOLETE LASALLE ETD 150 STEEL	
T131	NOV/16/2012 #5	HAYNES ALLOY NO. 25 (WF11-L605) UNS R30605	000, 98, 101,
T132	NOV/16/2012 #4	AMS 5678 STEEL WIRE 17-7 PH UNS S17700	286
T133		OBSOLETE 17-7PH STAINLESS STEEL (STRIP ONLY) (AMS 5529)	
T134	NOV/16/2012 #5	MODIFIED 440C STAINLESS STEEL ASTM A756, CRUCIBLE 154 CM, PWA 765	000, 194, 172
T135		OBSOLETE AISI 8642 STEEL	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T136		OBSOLETE T.I. 52 STEEL (ST52)	
T137	NOV/16/2012 #4	AMS 5651 (310 STAINLESS STEEL) (UNS S31008)	290
T138	NOV/16/2012 #6	AISI 1018 (UNS G10180) ALUMINUM KILLED	256, 273, 287, 303
T139	NOV/19/2012 #4	SAE J113 HARD DRAWN MECHANI- CAL SPRING WIRE CLASS 1	235
T140	NOV/19/2012 #3	AISI 304 SS (UNS S30400)	000, 30, 134, 147, 155, 260
T141	NOV/19/2012 #6	AISI 1008 (UNS G10080) ALUMINUM KILLED	000, 14, 15, 16,
T142	NOV/19/2012 #10	AISI 8620 STEEL TO ASTM A534 (UNS G86200)	32, 34, 51, 66, 69
T143	NOV/19/2012 #4	AISI M-2 ASTM A600 (UNS T11302)	000, 70, 115, 161, 165
T144	NOV/19/2012 #3	AISI 1215 (UNS G12150)	51, 91
T145		OBSOLETE LOW CARBON RIMMED STEEL (ASTM)	
T146		OBSOLETE MONEL K-500 AMS 4676	
T147		OBSOLETE TORRINGTON CO PROCESSED IRON	
T148		OBSOLETE	
T149		OBSOLETE J&L NS 801 STEEL (SIMILAR TO AISI S-2)	
T150		OBSOLETE J-1/30 TYPE 6-6 NYLON	
T151		OBSOLETE VANANGO SPECIAL STEEL (AISI S-2 MODIFIED)	
T152		OBSOLETE AISI 52100 BOF (BASIC OXYGEN FURNACE)	
T153	NOV/19/2012 #4	TYPE 301 STAINLESS STEEL	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T154	NOV/19/2012 #4	AISI 1022 SILICON KILLED STEEL (UNS G10220)	000, 113, 151, 252
T155		OBSOLETE MPP BEARING QUALITY 4319 STEEL	
T156	NOV/19/2012 #3	AISI 440C CEVM AMS 5618 (UNS S44004)	37
T157	NOV/19/2012 #5	AISI 1144 (UNS G 11440)	106
T158	APR/08/2020 #8	AISI 1074 MOD STEEL	5, 39, 107, 113, 189
T159	NOV/19/2012 #8	THERMOPLASTIC POLYESTER ELASTOMER SHORE DUROMETER 72D	
T160		OBSOLETE NYLON 6-6, MOLYBDENUM DISULFIDE FILLED	
T161		OBSOLETE AISI 10L18	
T162		OBSOLETE LOW QUALITY 52100 OR 50100 WIRE FOR PROCUREMENT FROM TORRINGTON WIRE MILL ONLY	
T163		OBSOLETE PREMIUM AIRCRAFT QUALITY AMS 6265 9310H UNS G93106 ASTM A535	
T164	NOV/19/2012 #3	48% Ni-Fe ELECTRONIC ALLOY (CARP. HIGH PERMEABILITY "49" ALEGHENY LUDLUM 4750 OR EQUIV.)	162, 163
T165	NOV/19/2012 #3	18% NICKEL MARAGING STEEL (VASCOMAX 300 CVM OR EQUIV.)	164
T166	NOV/19/2012 #8	AISI 1020 ALUMINUM KILLED (UNS G10200)	21, 232
T167	NOV/19/2012 #7	SAE 4118 ASTM A534 UNS G41180	32, 91, 113, 177, 206, 999
T168		OBSOLETE NICKEL ALLOY 200 (UNSN02200) (HUNTINGTON ALLOY 200)	
T169		OBSOLETE	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
		ALUMINUM ALLOY 3003 (UNS A93003)	
T170	NOV/19/2012 #6	AISI 1017 (UNS G10170)	
T171		OBSOLETE AISI 86L20	
T172		OBSOLETE ALUMINUM ALLOY 5050 (UNS A95050)	
T173	NOV/19/2012 #4	AMS 5749 PREMIUM QUALITY CONSUMABLE ELECTRODE VACUUM MELTED (LESCALLOY BG-42)	70, 114, 194, 265
T174	NOV/19/2012 #8	AISI/SAE 5160, ASTM A295 UNS G51600	007, 24, 25, 42, 44, 45, 58, 70
T175		OBSOLETE AISI 1035 STEEL SILICON KILLED (UNS G10350)	
T176	NOV/19/2012 #4	AISI 1095 STEEL	70, 107, 160
T177	NOV/19/2012 #5	AMS 5685 AISI 305 (UNS S30500)	153, 155
T178	NOV/19/2012 #4	AISI 5160 STEEL UNS G51600	42, 43, 44, 58, 70, 113
T179		OBSOLETE AMS 4928 TITANIUM ALLOY UNS R56400	
T180		OBSOLETE AISI 1524H STEEL	
T181	NOV/19/2012 #4	AISI 302 AMS 5637 (UNS S 30200)	176
T182	NOV/19/2012 #5	AISI 4140 (UNS G41400)	46, 192
T183		OBSOLETE AISI M-3, CLASS 2 (UNS T11323)	
T184	NOV/19/2012 #3	ALUMINUM ALLOY 2024 (UNS A92024)	
T185		OBSOLETE AISI 4820 (UNS G48200)	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T186		OBSOLETE COPPER BERYLLIUM ALLOY TO ASTM B197 (UNS C17200)	
T187		OBSOLETE PHENOLIC COATING COMPOUND	
T188		OBSOLETE (TFE) FIBER FLOCK	
T189	NOV/19/2012 #4	AISI 302 TO ASTM A580	184
T190		OBSOLETE BUFFING AND MOLD RELEASE COMPOUND	
T191	NOV/19/2012 #5	AISI 1022 (UNS G10220) ALUMINUM KILLED	199
T192	NOV/19/2012 #3	AISI 12L14 (UNS G12144)	51, 151
T193	NOV/19/2012 #3	AISI 4130 (UNS G41300)	177
T194	NOV/19/2012 #4	AISI 1006 (UNS G10060)	
T195		OBSOLETE GRAPHITE FIBER-PTFE FILLED NYLON MOLDING POWDER* RCL-4536 FROM LNP CORP.	
T196		OBSOLETE AISI 1005 (UNS G10050)	
T197		OBSOLETE BS970 060A12 MOD (EN32A MOD)	
T198		OBSOLETE ALUMINUM NICKEL BRONZE TO AMS 4640	
T199		OBSOLETE AISI 1035 MODIFIED (UNS G10350) ALUMINUM KILLED	
T200	NOV/13/2012 #9	SAE 4023 ASTM A534 UNS G40230	59
T201	NOV/13/2012 #4	AISI TYPE 430 STAINLESS STEEL (UNS S43000)	46, 85, 210
T202		OBSOLETE VAMAC K0701 ETHYLENE-ACRYLIC	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
		ELASTOMER	
T203		OBSOLETE COMMERCIAL BRONZE TO ASTM B134 (UNS C22000)	
T204		OBSOLETE FREE CUTTING PHOSPHOR BRONZE TO ASTM B139 (UNS C54400)	
T205	NOV/13/2012 #3	HIGH SILICON BRONZE TO ASTM B99 (UNS C65500)	212
T206		OBSOLETE AISI 5140H STEEL (UNS H51400)	
T207		OBSOLETE MONEL R-405 (UNS N04405)	
T208		OBSOLETE AISI 8620 (UNS G86200)	
T209		OBSOLETE LOW CARBON STEEL NB CUP STOCK	
T210		OBSOLETE MAGNETIC IRON (SKF REMKO B, OR EQUIV.)	
T211		OBSOLETE NITRILE RUBBER M6CH710 (NBR HIGH TEMP)	
T212	NOV/13/2012 #3	AISI 1141 (UNS G11410)	
T213	NOV/13/2012 #3	COBALT BASE ALLOY ("ELGILOY" OR EQUIV.)	220
T214		OBSOLETE LOW CARBON STEEL	
T215	NOV/13/2012 #5	AMS 5688 AISI 302 (UNS S30200)	226
T216		OBSOLETE UNS K44220 300M AMS 6419 PREM. QUAL CONSBLE. ELECTRODE VAC. MLT.	
T217		OBSOLETE BS 970 PT. 1, 080 A15	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T218		OBSOLETE BS 970 PT. 1, 070 M 20 ALUMINUM TREATED	
T219		OBSOLETE BS 1449 PT. 1, HS 43/35	
T220		OBSOLETE BS 970 PT. 1, 040 A 10 ALUMINUM TREATED	
T221		OBSOLETE BS 970 PT. 1, 080 A 35	
T222		OBSOLETE BS 970 PT. 1, 080 A 42	
T223		OBSOLETE BS 970 PT. 1, 070 M 20	
T224		OBSOLETE BS 970 PT. 1, 080 M 40	
T225		OBSOLETE BS 970 PT. 1, 080 M 36	
T226		OBSOLETE AISI 1006 (UNS G10060) ALUMINUM KILLED	
T227	NOV/13/2012 #4	AMS 5629B (PH13-8Mo) (UNS S13800)	
T228		OBSOLETE COMMERCIAL BRONZE TO ASTM B36 (UNS C22000)	
T229	NOV/13/2012 #4	AISI/SAE 1008 (UNS G10080)	
T230	NOV/13/2012 #3	AISI 4150H (UNS H41500)	162
T231		OBSOLETE AISI 1572 MOD STEEL	
T232		OBSOLETE ASTM F-55 GRADE 2	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
		SURGICAL STAINLESS STEEL	
T233	NOV/13/2012 #4	AISI 8615 STEEL TO ASTM A534	32
T234		OBSOLETE AISI/SAE 3310 ASTM A534 UNS G33106	
T235		OBSOLETE AISI 1010 SILICON KILLED	
T236	NOV/13/2012 #3	COMMERCIAL QUALITY AISI 1074 STEEL	39
T237	NOV/13/2012 #5	AISI/SAE 52100 GRADE 1 (MOD) ASTM A535 SPECIAL QUALITY	172, 173
T238		OBSOLETE AISI/SAE 3312 ASTM A535 SPECIAL QUALITY	
T239	NOV/13/2012 #5	AISI 4137 (UNS G 41370) STEEL	
T240		OBSOLETE AISI 1030 (UNS G10300) ALUMINUM KILLED STEEL	
T241		OBSOLETE AISI 12L15 (UNS G12150)	
T242		OBSOLETE 4112 STEEL	
T243		OBSOLETE PALLADIUM-SILVER-COPPER BASE ALLOY TO ASTM B563 (PALINEY #6 OR EQUIV.) (UNS PO3440)	
T244		OBSOLETE MPP BEARING QUALITY 3111 STEEL	
T245		OBSOLETE AISI 440 F SE, AMS 5632 UNS S-44023 (TYPE II)	
T246		OBSOLETE SYNTHETIC POLYISOPRENE M4AA624	
T247		OBSOLETE CHLOROBUTYL RUBBER - M4AA508	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T248		OBSOLETE POLYESTER WARP-KNIT FABRIC	
T249		OBSOLETE BEARING QUALITY 52100 STRAND CAST	
T250		OBSOLETE EPDM RUBBER M2DA710	
T251		OBSOLETE AISI 1214 BISMUTH	
T252		OBSOLETE AISI 52L100	
T253		OBSOLETE LASALLE STRESSPROOF ® STEEL	
T254	NOV/13/2012 #3	GENERAL PURPOSE PHENOLIC (BLACK)	
T255	NOV/13/2012 #4	GLASS-FILLED PHENOLIC	
T256		OBSOLETE NEOPRENE M2BC510 (CHLOROPRENE POLYMERS)	
T257		OBSOLETE COTTON CHAFER DUCK FABRIC	
T258		OBSOLETE AISI 1050 MODIFIED ALUMINUM KILLED (UNS G10500)	
T259		OBSOLETE AISI 420 STAINLESS STEEL MODIFIED	
T260		OBSOLETE ACETAL HOMOPOLYMER TOUGHENED-GENERAL PURPOSE	
T261		OBSOLETE POLYETHYLENE INJECTION GRADE	
T262		OBSOLETE AISI 8620 STEEL TO ASTM A534 (UNS G86200) HIGH HARDENABILITY	
T263		OBSOLETE STYRENE-BUTADIENE RUBBER M2BA514	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T264	NOV/13/2012 #4	AISI/SAE 4150, ASTM A 866 UNS G 41500	172, 173, 174, 242, 267
T265	NOV/13/2012 #4	NYLON 6/6 10% GLASS-FILLED	60
T267		OBSOLETE AUTOMOTIVE DUCTILE (NODULAR) IRON CASTINGS SAE J434	
T268	NOV/13/2912 #4	TBS-9/5195 ASTM A295 6476, AMS 6477	172, 173,
T269		OBSOLETE BEARING QUALITY 1085 STRAND CAST	
T271	NOV/13/2012 #2	GRADE 32510 MALLEABLE IRON FOR INDUSTRIAL UNITS	
T272	NOV/13/2012 #3	DUCTILE IRON FOR INDUSTRIAL UNITS	
T273		OBSOLETE BS 970 pt. 1 220 M07	
T274		OBSOLETE FLUOROCARBON ELASTOMER (DUROMETER 70 SHORE A)	
T276		OBSOLETE AISI 1026 SILICON KILLED (UNS G10260)	
T277		OBSOLETE TYPE 410 STAINLESS STEEL TO FEDERAL SPEC QQ-S-766C	
T278		OBSOLETE COPPER ALLOY 260 TO FEDERAL SPEC QQ-B-613D	
T279		OBSOLETE TYPE 416 STAINLESS STEEL TO ASTM A581	
T280		OBSOLETE TYPE 416 SE STAINLESS STEEL TO ASTM A581	
T282	NOV/13/2012 #3	AISI 4340 (UNS G43400)	69
T287		OBSOLETE AISI 1137 SILICON KILLED STEEL	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T291	NOV/13/2012 #3	CRUCIBLE CPM REX 20 HIGH SPEED STEEL	
T293		OBSOLETE POLYETHYLENE (LOW DENSITY)	
T294		OBSOLETE POLYETHERIMIDE 20% GLASS REINFORCED	
T295		OBSOLETE POLYETHER SULFONE 20% GLASS REINFORCED	
T296		OBSOLETE AISI 1043 SILICON KILLED	
T297		OBSOLETE DK - 1210	
T298		OBSOLETE AISI/SAE 8622 H ASTM A534 SPECIAL HARDENABILITY	
T299		OBSOLETE AISI/SAE 52100 GRADE 3 (MOD) ASTM A485	
T300		OBSOLETE SBR-HIGH TEMPERATURE-M3CA607 (STYRENE - BUTADIENE)	
T301	NOV/14/2012 #4	AISI/SAE 4130 ASM 6348, AMS 6370 UNS G41300	
T302	NOV/13/2012 #3	ASTM A48 - GRAY CAST IRON INDUSTRIAL UNITS	
T303		OBSOLETE SCM 418 (JAPANESE)	
T304		OBSOLETE AISI 1026 ALUMINUM KILLED (UNS G10260)	
T306		OBSOLETE POLYETHERIMIDE 20% MILLED GLASS FILLED	
T307		OBSOLETE 10% GLASS-FIBER REINFORCED NYLON 6-6, HEAT-STABILIZED	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T308	May/21/2013 #4	30% MILLED GLASS-FIBER FILLED NYLON 6-6, HEAT-STABILIZED	
T309		OBSOLETE NYLON 6-6, WITH 30% CARBON FIBER AND 13% PTFE AND 2% SILICONE FILLERS, HEAT STABIL	
T310		OBSOLETE AISI 1144 SILICON KILLED	
T311		OBSOLETE AISI 1026 ALUMINUM KILLED (UNS G10260)	
T312	NOV/14/2012 #7	AISI 1010 STRAND CAST UNS G10100	087, 300, 415
T313	NOV/13/2012 #2	NON-METALLIC COMPOSITION RETAINERS	
T314	NOV/14/2012 #3	AISI H-13 ASTM A681 (UNS T20813)	
T315	NOV/14/2012 #3	MONEL K-500 QQ-N-286	
T317		OBSOLETE POLYACRYLIC RUBBER, GRAPHITE FILLED (M5DH70)	
T319		OBSOLETE EPDM RUBBER - M3BA710	
T320		OBSOLETE EPDM RUBBER -M3BA710	
T324		OBSOLETE 15% GLASS-FIBER REINFORCED, 15% MILLED GLASS FILLED NYLON 6-6, HEAT STABILIZED	
T325		OBSOLETE AISI 1026 MODIFIED ALUMINUM KILLED STEEL	
T326		OBSOLETE EPDM RUBBER - M2CA410	
T327		OBSOLETE NEOPRENE RUBBER M2B3510 (CHLOROPRENE POLYMERS)	
T328	NOV/14/2012 #3	17 CR NI MO 6 (CARBURIZING STEEL)	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T329		OBSOLETE SBR-2BA707 (NATURAL RUBBER STYRENE BUTADIENE RUBBER)	
T330		OBSOLETE NYLON 6-6, HEAT-STABILIZED	
T331		OBSOLETE POLYPROPYLENE	
T332		OBSOLETE NITRILE RUBBER - M6BG410	
T333	NOV/15/2012 #2	POLYETHERETHERKETONE, 30% GLASS FIBER REINFORCED	
T334		OBSOLETE POLYOLEFIN ELASTOMER	
T335		OBSOLETE ACETAL HOMOPOLYMER, TOUGHENED (500T)	
T336		OBSOLETE NYLON 6-6 TOUGHENED, HEAT-STABILIZED	
T337		OBSOLETE AISI 1070 MODIFIED	
T338		OBSOLETE LOW LEAD BRASS (ALLOY "C")	
T339	NOV/14/2012 #3	SAE 1020 UNS G10200	
T340		OBSOLETE SBR-HIGH TEMPERATURE M3CA707 (STYRENE-BUTADIENE RUBBER)	
T341		OBSOLETE NITRILE RUBBER - M2BG710	
T342	NOV/14/2012 #3	AISI M-50, DOUBLE VACUUM MELTED, AMS 6491, AMS 6490	
T343		OBSOLETE AMS 5617 GRADE 1 UNS S45500	
T344		OBSOLETE AISI/SAE 8822 H ASTM A534 UNS H88220	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T345		OBSOLETE NYLON 6-6, HEAT STABILIZED FOR WIRE TIES ONLY	
T346		OBSOLETE POLYURETHANE THERMOPLASTIC POLYESTER BASED	
T347		OBSOLETE 4122 MODIFIED CATEPILLAR SPEC. 1E0778 LADLE REFINED	
T348	NOV/14/2012 #3	AMS 6414 PREMIUM QUALITY CONSUMABLE ELECTRODE VACUUM MELTED (SAE4340)	172
T349		OBSOLETE POLOLEFIN ELASTOMER, 64A	
T350		OBSOLETE NEOPRENE RUBBER M2BC510 (CHLOROPRENE POLYMERS)	
T351	NOV/14/2012 #3	AISI M-50, DOUBLE VACUUM MELTED, AMS 6491, AMS 6490	
T352		OBSOLETE M50 NiL, AMS 6278 GE B50TF211	380
T353	NOV/15/2012 #3	SAE 52100 DOUBLE VACUUM MELTED AMS 6444	
T354	NOV/15/2012 #3	AISI 1012 MOD STEEL RESTRICTED CHEMISTRY	23
T355		OBSOLETE POLYARYLEETHERKETON CARBON FIBER REINFORCED PTFE LUBRICATED	
T356		OBSOLETE POLYESTER FOAM, MEDIUM DENSITY	
T357		OBSOLETE POLYURETHANE HIGH DENSITY FOAM	
T358	NOV/15/2012 #2	SILICON NITRIDE (Si ₃ N ₄) (NBD-200)	
T359		OBSOLETE AISI/SAE 8740 AMS 6322	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T360		OBSOLETE ALUMINUM ALLLOY 7075 AUNS A97075	
T361		OBSOLETE AISI/SAE 6150 AMS 6448 UNS G61500	
T362		OBSOLETE POLYURETHANE	
T364		OBSOLETE 7% CHROMIUM, 7% TUNGSTEN VACUUM MELTED STEEL HAMILTON STANDARD SPEC. HS479	
T365		OBSOLETE LEADED HIGH STRENGTH YELLOW BRASS	
T366		OBSOLETE POLYPHTHALAMIDE, 33% GLASS REINFORCED, HEAT STABILIZED	
T367		OBSOLETE MODIFIED AISI 1026 ALUMINUM KILLED STEEL	
T368	NOV/15/2012 #2	SILICON CORE IRON (FREE MACHINING)	198
T369		OBSOLETE MODIFIED AISI 1026 SILICON KILLED ALUMINUM REFINED STEEL	
T370		OBSOLETE ACETAL HOMOPOLYMER	
T371		OBSOLETE POLYCARBONATE MEDIUM VISCOS FDA APPROVED STANDARD	
T372		OBSOLETE POLYCARBONATE MEDIUM VISCOS	
T375		OBSOLETE SYNTHETIC POLYISOPRENE M4AA514	
T376	NOV/15/2012 #2	IRON-SILICON-BRONZE AMS 4616 (C86400)	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T377		OBSOLETE LEADED TIN BRONZE (C92300)	
T378		OBSOLETE CAMSHAFT TUBING	
T379		OBSOLETE 35% GLASS-FIBER REINFORCED, HEAT-STABILIZED, HIGH TEMP. NYLON	
T380		OBSOLETE ACETAL COPOLYMER	
T381		OBSOLETE PAINT - POWDERED THERMOSETTING EPOXY	
T383		OBSOLETE POLYCARBONATE - LOW VISCOSITY FDA APPROVED	
T384		OBSOLETE RUBBER LUBRICANT EMULSION	
T385		OBSOLETE EXTREME PRESSURE GREASE FOR LOAD BEARING APPLICATIONS	
T386		OBSOLETE ETHYLENE ACRYLATE ELASTOMER	
T387		OBSOLETE ACETAL COPOLYMER, WEAR RESISTANT, ORANGE	
T388		OBSOLETE POLYPHTHALAMIDE, CARBON FIBER	
T389		OBSOLETE EPDM RUBBER -M2CA510	
T390		OBSOLETE NITRILE RUBBER - M2BG807	
T391		OBSOLETE POLYURETHANE FOAM, MEDIUM DENSITY	
T392		OBSOLETE LOW CARBON STEEL	
T393		OBSOLETE	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
		HIGH STRENGTH YELLOW BRASS (C86400)	
T394	NOV/15/2012 #2	AISI/SAE 8620 UNS G86200	001
T396	NOV/15/2012 #2	CRUCIBLE VIM CRU 20 HIGH SPEED STEEL	
T398		OBSOLETE GENERAL PURPOSE PVC HOMOPOLYMER PART NO. 42FP02283 ONLY	
T399		OBSOLETE POLYURETHANE FOAM ADHESIVE	
T400		OBSOLETE NYLON 6/6 HEAT STABILIZED WITH MOLYBDENUM DISULFIDE	
T403		OBSOLETE NYLON 6/6 HEAT STABILIZED WITH MOLYBDENUM DISULFIDE GLASS FILLED GRADE	
T404		OBSOLETE AISI 1018 MODIFIED (COPPERWELD TUFFDOM 520)	
T405		OBSOLETE GREASE, HIGH TEMPERATURE WATERPROOF WITH FILLER	
T406		OBSOLETE	
T408		OBSOLETE EPDM RUBBER-M4CA510/M4CA614	
T409		OBSOLETE POLYPHTHALAMIDE, CARBON FIBER REINFORCED TEFLON LUBRICATED	
T410		OBSOLETE SYNTHETIC POLYISOPRENE M4AA621	
T412		OBSOLETE POLYSULFONE 20% GLASS FOAMED	
T413		OBSOLETE EPDM RUBBER-M4CA510	
T415		OBSOLETE AISI 1215 CA	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T417	NOV/15/2012 #2	THERMOPLASTIC RUBBER, 70A DURO	
T418		OBSOLETE POLYURETHANE - THERMOPLASTIC POLYCAPROLACTONE - TYPE	
T419		OBSOLETE THERMOPLASTIC RUBBER, 40D DURO	
T421	NOV/15/2012 #4	NITRILE RUBBER - M2BG610	
T422		OBSOLETE EPDM RUBBER -M2CA814	
T423	OBSOLETE COPOLYETHERESTER RESIN HEAT STABILIZED WITH MOLYBDENUM DISULFIDE GLASS FILLED GRADE	
T424		OBSOLETE THERMOPLASTIC POLYESTER ELASTOMER SHORE DUROMETER 55D	
T425		OBSOLETE GREASE CORROSION CONTROL LUBRICANT	
T426		OBSOLETE AISI 1070 MODIFIED BEARING QUALITY ASTM A295	
T429		OBSOLETE NYLON 6-6, MODIFIED HIGH IMPACT	
T431		OBSOLETE COPOLYETHERESTER RESIN HEAT STABILIZED LUBRICATED GLASS FILLED AND 15%	
T432		OBSOLETE EPDM RUBBER - M5CA814	
T434		OBSOLETE SILICONE RUBBER M2GE405	
T436	NOV/15/2012 #1	EX4 (CARBURIZING STEEL)	
T437	NOV/15/2012 #3	PYROWEAR 675 AMS 5930	
T440		OBSOLETE ACETAL WITH TEFLON AND	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
		SILICONE LUBRICANT	
T441	MAY/01/2020 #5	AISI 1524	000
T442		OBSOLETE AISI 1524 MOD	
T444	NOV/15/2012 #2	AISI 1214 SA	
T446	NOV/15/2012 #2	NITRILE RUBBER - M5BG510	
T447		OBSOLETE SILICON KILLED, ALUMINUM REFINED, AISI 1035 STEEL	
T448		OBSOLETE EPDM RUBBER -M2CA510	
T450		OBSOLETE ETHYLENE ACRYLATE ELASTOMER M3EE508	
T452		OBSOLETE EPDM RUBBER-M4CA510 PEROXIDE CURED	
T455		OBSOLETE NYE SYNTHETIC OIL 334	
T456	NOV/15/2012 #2	POLOYPHTHALAMIDE 33% GLASS REINFORCED	
T457		OBSOLETE ACETAL HOMOPOLYMER, EASILY MOLDABLE	
T458		OBSOLETE EPDM RUBBER -M3BA707	
T459	NOV/15/2012 #2	POLYPROPYLENE COPOLYMER	
T460		OBSOLETE AISI 1018 (UNS G10180)	
T461	NOV/15/2012 #2	25%GLASS-FIBER REINFORCED NYLON 6-6, HEAT-STABILIZED	
T462	NOV/15/2012 #2	POLYETHERKETONE CARBON FIBER REINFORCED SILICON LUBRICATED	
T465		OBSOLETE ACETAL COPLYMER	
T466	NOV/15/2012 #2	HNBR	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
T467		OBSOLETE THERMOPLASTIC VULCANATE ELASTOMER 74A	
T468	FEB/04/2014	OBSOLETE FLUORO-RUBBER M2HK814	
T469		OBSOLETE ETHYLENE ACRYLATE ELASTOMER MSDF608	
T472	NOV/15/2012 #2	THERMOPLASTIC VALCANATE ELASTOMER 55	
T473	NOV/15/2012 #2	EPDM RUBBER - M3BA710	
T474		OBSOLETE 20% MINERAL FILLED POLYPROPYLENE	
T476	NOV/15/2012 #2	NITRILE RUBBER	
T477	NOV/15/2012 #4	ALIPHATIC POLYKETONE	
T479		OBSOLETE FINE GRAIN, HIGH MANGANESE, VANADIUM/COLUMBIUM HSLA STEEL	
T499	NOV/15/2012 #3	ESR 422 STAINLESS	
T551		OBSOLETE HIGH TEMPERATURE NYLON 25% GLASS REINFORCED	
T552		OBSOLETE HARDENED STEEL 1.0401 (C15)	
T553		OBSOLETE STAILESS ROLLER BEARING STEEL 1.3543 (X102CrMo17)	
T554		OBSOLETE HARDENED STEEL 1.3523 (19MnCr5)	
T555		OBSOLETE HARDENED STEEL 1.6587 (17CrMo6)	
T556		OBSOLETE	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
		CORROSION RESISTANT ROLLING BEARING STEEL 1.3541 (X45Cr13)	
T557		OBSOLETE HEAT TREATMENT STEEL 1.1219 (Cf54) MODIFIED	
T558		OBSOLETE HEAT TREATMENT STEEL 1.1219 (Cf54) MODIFIED, BILLETS OR ROUND BARS FOR HOT FORMING	
T559		OBSOLETE ANNEALED ROUND BARS, ROLLED OR FORGED, MADE OF STAINLESS ROLLING BEARING STEEL 1.3541 (X45Cr13)	
T561		OBSOLETE ALLOY STEEL 52100 COMMERCIAL BEARING QUALITY	
T564	NOV/15/2012 #3	SYNTHETIC POLYISOPRENE M4AA807	
T566	NOV/15/2012 #2	NITRILE RUBBER 60A	
T567	NOV/15/2012 #2	NITRILE RUBBER 75A	
T568	NOV/15/2012 #2	THERMOPLASTIC VULCANATE ELASTOMER 45A	
T569	NOV/15/2012 #7	FLOUOROPOLYMER DRY FILM LUBRICANT	
T570	NOV/15/2012 #7	LOW FRICTION, WEAR RESISTANT POLYURETHANE	
T571	NOV/15/2012 #2	10% GLASS REINFORCED POLYPROYLENE	
T572	NOV/15/2012 #3	POLYBUTYLENE TEREPHTALATE, UNREINFORCED MEDIUM VISCOSITY	
T573	NOV/15/2012 #1	SILCICONE RUBBER M6GE70421	
T574	NOV/15/2012 #1	SILICONE RUBBER	
T575	NOV/15/2012 #1	HNBR M3DH810	
T576	NOV/15/2012 #3	POLYURENTHENE ELASTOMER	
T577	NOV/15/2012 #1	NYLON 6, 12 HEAT STABILIZED,	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
		LUBRICATED	
T578	NOV/15/2012 #2	NITRILE RUBBER 80A	
T580	NOV/15/2012 #1	POLYSULFONE 10% GLASS	
T582	NOV/13/2012 #1	POLYPROPYLENE COPOLYMER 20% TALC	
T586	NOV/13/2012 #1	CRUCIBLE VIM CRU 20 RS HIGH SPEED STEEL	
T587	NOV/13/2012 #1	NR/SBR	
T588	NOV/13/2012 #1	AUTOMOTIVE DUCTILE (NODULAR) IRON CASTINGS SAE J434	
T590	NOV/13/2012 #2	EPDM RUBBER -M2CA510	
T591		OBSOLETE MATERIAL AND DIMENSIONAL REQUIREMENTS FOR RING (ROLLED AND HAMMERED) FORGINGS	
T592		OBSOLETE MATERIAL AND DIMENSIONAL REQUIREMENTS FOR RING (RING AND HAMMERED) FORGINGS	
T593		OBSOLETE MATERIAL AND DIMENSIONAL REQUIREMENTS FOR RING (ROLLED AND HAMMERED) FORGINGS	
T597		OBSOLETE VAR BEARING QUALITY 4319 STEEL	
T598		OBSOLETE RMP BEARING QUALITY 8019 STEEL	
T599		OBSOLETE RMP BEARING QUALITY 8119 STEEL	
T600		OBSOLETE RMP BEARING QUALITY 8219 STEEL	
T601		OBSOLETE RMP BEARING QUALITY 8319	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
		STEEL	
T602		OBSOLETE MPP BEARING QUALITY 8319 STEEL	
T603	NOV/13/2012 #3	BEARING QUALITY 8640H STEEL RESTRICTED CHEMISTRY	
T604	NOV/12/2012 #2	POLYAMIDE-NYLON 11	
T605	NOV/12/2012 #1	SILICONE RUBBER	
T606		OBSOLETE RMP BEARING QUALITY EN355 STEEL	
T607		OBSOLETE MPP BEARING QUALITY 8019 STEEL	
T608		OBSOLETE MPP BEARING QUALITY 4719 STEEL	
T609		OBSOLETE BSP BEARING QUALITY 4719 STEEL	
T610		OBSOLETE BSP BEARING QUALITY 4319 STEEL	
T611		OBSOLETE BSP BEARING QUALITY 8019 STEEL	
T612		OBSOLETE BSP BEARING QUALITY 8119 STEEL	
T613		OBSOLETE BSP BEARING QUALITY 8219 STEEL	
T614		OBSOLETE BSP BEARING QUALITY 8319 STEEL	
T615		OBSOLETE BSP BEARING QUALITY 8719M STEEL	
T616		OBSOLETE	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
		SCP BEARING QUALITY 4319 STEEL	
T617		OBSOLETE SCP BEARING QUALITY 4719 STEEL	
T618		OBSOLETE SCP BEARING QUALITY 8019 STEEL	
T619		OBSOLETE SCP BEARING QUALITY 8119 STEEL	
T620		OBSOLETE SCP BEARING QUALITY 8219 STEEL	
T621		OBSOLETE SCP BEARING QUALITY 8319 STEEL	
T622		OBSOLETE MPP BEARING QUALITY 8019 STEEL	
T623		OBSOLETE MPP BEARING QUALITY 8119 STEEL	
T624		OBSOLETE MPP BEARING QUALITY 8219 STEEL	
T625		OBSOLETE MPP BEARING QUALITY 8719M STEEL	
T626		OBSOLETE VAR BEARING QUALITY 4619 STEEL	
T627		OBSOLETE VIM-VAR BEARING QUALITY 4319 STEEL	
T628		OBSOLETE BSP BEARING QUALITY 8617H STEEL	
T629		OBSOLETE	

SPECIFICATION INDEX

<u>"T"</u> <u>SPEC</u>	<u>REVISION</u> <u>DATE & NO.</u>	<u>MATERIAL</u>	<u>APPLICABLE "M" SPEC</u>
		MPP BEARING QUALITY 41100 STEEL	
T631		OBSOLETE HNBR, HIGH MODULUS	
T632		OBSOLETE MPP BEARING QUALITY ASTM A485 GRADE 4 STEEL	
T633		OBSOLETE MPP BEARING QUALITY ASTM A485 GRADE 1 STEEL	
T634		OBSOLETE MPP BEARING QUALITY ASTM A485 GRADE 2 STEEL	
T635		OBSOLETE MPP BEARING QUALITY ASTM A485 GRADE 3 STEEL	
T700	NOV/12/2012 #1	SAE 8660 MOD STEEL	
T800	OCT/02/2014 #0	AISI 1010 - BEARING QUALITY STEEL	
T802	SEP/12/2019 #0	ISO 683-17 17MnCr5/W.Nr.1/3521 BEARING QUALITY STEEL	
T999	NOV/08/2012 #2	SPECIAL OR SAMPLE LOT OF MATERIAL	